- 29. (Previously Amended) A tissue adhesive comprising fibrinogen and an admixed elastase inhibitor.
- 30. (Original) A tissue adhesive as set forth in claim 29, wherein said elastase inhibitor is selected from the group consisting of eglin, elastase- α l-proteinase inhibitor, α l-antiprotease, leukocyte protease inhibitor, elafin and mixtures thereof.
 - 31. (Withdrawn)
 - 32. (Withdrawn)
- 33. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue adhesive is comprised of human proteins.
 - 34. (Withdrawn)
 - 35. (Withdrawn)
- 36. (Previously Amended) A tissue adhesive as set forth in claim 29, wherein the ratio in weight of said elastase inhibitor to said fibrinogen is from 1:100 to 1:150,000.
- 37. (Previously Amended) A tissue adhesive as set forth in claim 29, wherein the ratio in weight of said elastase inhibitor to said fibrinogen is from 1:500 to 1:110,000.
- 38. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue adhesive contains at least 10⁻⁶ U of elastase inhibitor per gram of fibrinogen.
- 39. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue adhesive contains from between 10⁻³ and 10 U of elastase inhibitor per gram of fibrinogen.

- 40. (Original) A tissue adhesive as set forth in claim 29, further comprising plasminogen in an amount of at least 0.0001 mg/mg of fibrinogen.
- 41. (Original) A tissue adhesive as set forth in claim 40, wherein said plasminogen is contained in an amount of at least 0.001 mg/mg of fibrinogen.
- 42. (Original) A tissue adhesive as set forth in claim 40, wherein said plasminogen is contained in an amount of more than 0.01 mg/mg of fibrinogen.
 - 43. (Withdrawn)
 - 44. (Withdrawn)
 - 45. (Withdrawn)
 - 46. (Withdrawn)
 - 47. (Withdrawn)
 - 48. (Withdrawn)
 - 49. (Withdrawn)
 - 50. (Withdrawn)
- 51. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue adhesive is free from kininogenic proteins.
 - 52. (Withdrawn)
 - 53. (Withdrawn)
- 54. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue adhesive is resistant to lysis in an environment with high activity for a period of time which is at least 10 hours.

- 55. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue adhesive is resistant to lysis in an environment with high fibrinolytic activity for a period of time which is at least 15 hours.
- 56. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue adhesive is lyophilized.
- 57. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue is present in solution.
- 58. (Original) A tissue adhesive as set forth in claim 57, wherein said solution is deep-frozen.
- 59. (Original) A tissue adhesive as set forth in claim 29, wherein said tissue adhesive is present in virus-inactivated form.
- 60. (Original) A tissue adhesive as set forth in claim 29, wherein said elastase inhibitor is of recombinant origin.
 - 61. (Withdrawn)
 - 62. (Withdrawn)
 - 63. (Withdrawn)
 - 64. (Withdrawn)
 - 65. (Withdrawn)
 - 66. (Withdrawn)
 - 67. (Withdrawn)
 - 68. (Withdrawn)

- 69. (Withdrawn)
- 70. (Original) A method for treating wounds or hemorrhages with high fibrinolytic activity in patients, comprising administering an effective dose of a tissue adhesive preparation containing fibrinogen and an elastase inhibitor.
- 71. (Original) A method as set forth in claim 70, wherein said wound of hemorrhage is urological.
- 72. (Original) A method for treating wounds or hemorrhages in patients, comprising administering an effective dose of a tissue adhesive containing fibringen and an elastase inhibitor by means of an application device.
- 73. (Original) A method as set forth in claim 72, wherein said wound or hemorrhage is urological.